


# CATALINA SUMMIT-8



## Training Manual

*2026 Model Year Product*

# Table of Contents

*All pages are hyperlinked below for direct link to that page*

- [BAL Power Tongue & Power Stab Jacks](#)
- [GE On Demand Tankless Water Heater](#)
- [Power Inverter by WFCO](#)
- [Heat Pumps Standard on A/C's](#)
- [Starlink by Wingard](#)
- [Front Radius Lighting](#)
- [Power Awning w/Multi-color LED Strip Lighting](#)
- [JBL Premium Sound System](#)
- [GE Profile 10 Cu. Ft. Refer](#)
- [GE Kitchen Appliances](#)
- [30 AMP Solar Charge Controller](#)
- [200W Solar Panel](#)
- [Stable Deck ESP Tongue and Groove Flooring](#)
- [BAL NXG Frame](#)
- [Screwed Cabinetry](#)
- [Thermofoil Counter Tops](#)
- [Suburban Furnace](#)
- [BAL NXG EXACT Slide Out](#)
- [Enclosed & Sealed Underbelly](#)
- [MORyde StepAbove Entry Steps](#)
- [Dinette Upgrades](#)
- [Bedroom Upgrades](#)
- [Black Tank Flush](#)
- [Rear Camera Prep](#)
- [Lippert On-The-Go Ladder Prep](#)
- [Additional Interior Value Features](#)
- [Additional Exterior Value Features](#)

## Floor Plans In Summit 8:

- 211BH
- 221EPIC
- 221MKE
- 231BHS
- 231MKS
- 261BH
- 261BHS
- 281QBUNK

# CATALINA SUMMIT-8

## BAL Power Tongue & Jacks

**FREE feature for limited time!**

Limited to fall program orders only. Talk to your sales managers for more information!



“See The Difference”

[Click Here or below.](#)

### Key Features:

- ✓ Dual 12V motor for independent jack operation.
- ✓ Power jack LED lighting.
- ✓ 6” Wide, stable base, footpad.
- ✓ Two switches offer ease of side-to-side operation.
- ✓ Push button for quick, quiet extension & retraction.
- ✓ Superior E-Coat finish.
- ✓ Integrated foot to minimize slipping or sinking.



[Back To Table of Contents. Click Here](#)



## GE Profile™ 60,000 BTU RV Gas Tankless Water Heater

### DIMENSIONS AND INSTALLATION INFORMATION (IN INCHES)

**LOCAL INSTALLATION REGULATIONS:** This water heater must be installed in accordance with these instructions, local codes, utility codes, utility company requirements and/or, in the absence of local codes, the latest edition of the American National Standard/National Fuel Gas Code. A copy can be purchased from either the American Gas Association, 400 N. Capitol Street, NW, Suite 450, Washington, DC 20001 as ANSI standard Z223.1 or National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02169 as booklet NFPA 54.


**INSTALLATION INFORMATION:** For complete information, see installation instruction packed with your water heater.

**POWER REQUIREMENTS:** Check the markings on the rating plate of the water heater to be certain the power supply corresponds to the water heater requirements.

**LOCATION:** Locate the water heater in a clean, dry area as near as practical to the area of the greatest heated water demand. Long uninsulated hot water lines can waste energy and water.

**REQUIRED CLEARANCES:** There must be sufficient clearance between any object and the top, rear and sides of the water heater in the event service is needed. The controls and drain at front of unit must have clear access for operation and service. Installations that require minimal clearance on the sides or rear of the water heater for earthquake straps are also acceptable. In these cases, additional clearance should be provided on the opposite side of the unit to allow for service access.

DIMENSIONS	
Height	12 1/2"
Width	12 1/2"
Depth, without door	16 1/2"
Depth, with door open 90°	32"
Depth, with door, protrusions and water valves	18 7/8"
Door frame	
Height	14 3/4"
Width	14 3/4"
Depth	1"



Above illustration intended for dimensional reference only. Refer to photograph for actual product appearance.



- ✓ **60,000 BTU** (vs. 42,000) of instant, tankless hot water — one of the fastest, highest-output RV water heaters in its class.
- ✓ **Endless hot water on demand** with a compact, space-saving tankless design built specifically for RV life.
- ✓ **Steady, consistent temperatures** thanks to an integrated mixing tank that eliminates the hot-cold “RV shower shuffle.”
- ✓ **Adventure-ready performance** — freeze protection down to 25°F and altitude adjustment up to 10,100 feet for reliable hot water anywhere you camp.



For answers to your GE Profile™ or GE Appliances product questions, visit our website at [geappliances.com](http://geappliances.com) or call GE Answer Center® Service, 800.626.2000

*\*All Catalina's are wired and **PREPPED** for inverter power to all **GFCI** power line\**

## Features:

- ✓ **Run everyday household outlets off the battery** – An 1,800–2,000W inverter can comfortably power TVs, microwaves for short bursts, coffee makers, laptops, CPAP machines, and chargers when you're not plugged in.
- ✓ **Protects sensitive electronics** – Provides cleaner, more stable power than a generator, which is safer for phones, tablets, and smart devices.
- ✓ **Better battery-to-appliance efficiency** – Converts 12V battery power to usable 120V power so you can make full use of your RV's systems even while boondocking.



WF-5220 INVERTER SERIES | 2000-WATT

## Intelligent Features and **TECHNOLOGY**

WFCO's 2000-watt WF-5220 Inverter Series delivers outstanding performance. The internal transfer system automatically allows the AC input to bypass the inverter when the inverter is connected to an AC power source. Other essential features include pure sine wave output, providing the hi-tech filtering needed for premium electronics and refrigerators, plus an easy hi-pot testing design that allows hi-potting output circuits through the inverter.


With over a decade of inverter manufacturing, WFCO knows what is essential. Reliability, clean signal, easy installation, and intelligent power management make the WF-5220 Inverter Series the best choice in RV inverters.



### PRODUCT FEATURES

- REMOTE DISPLAY PANEL**
- The included LED/LCD display provides status indication as well as inverter readings.
  - LED DISPLAY**
    - Blue - Indicates unit is on and normal
    - Red - Indicates error status
  - LCD SCREEN**
    - DC voltage
    - Inverter temperature
    - Grid input voltage, amperage, frequency and watts
    - Inverter output voltage, amperage, frequency and watts
    - Fault codes
    - Inverter settings

- ADDITIONAL SERIES FEATURES**
- 30A Pass-Thru with AC Auto-Break Fuse
  - Programmable over/under DC voltage protection
  - Reverse Polarity with Light Indicator
  - High-frequency switching mode power topology for a smaller, lighter, quieter and more efficient unit
  - THRU-30A Pure Sine Wave output waveform supplies you with higher quality power than the electric company provides.
  - Converters WAGO AC Hookup
  - Mount in Any Position
  - Brushless fans
  - Automatic transfer switch with 100% default to utility power



The WF-5220 inverter remote includes an LCD display and a 22-R cable. Display includes On/Off button, Battery voltage status, Grid input voltage and amperage status and settings for Battery Under (LVP) and Over (OVV) Voltage Protection.

SPECIFICATIONS	WF-5220
Power Output	2000 W
Input Voltage	10-15 V DC
Output Waveform	Pure Sine Wave
Voltage Output	120V AC, 60 Hz
Efficiency Load	~98%
Transfer Switch Rating	30 A
Transfer Time	<20 milliseconds
AC Output Circuit Breaker	30 A
Dimensions	8"W x 14.3"H x 4.9"H
Weight	20 lb

Specifications: 10" and 22" lead and FCC Class B compliant. Specifications are subject to change without notice or obligation.



- ✓ **Upgrade-friendly** – Having inverter **PREP** means the heavy lifting (wiring, transfer switch provisions, locations) is already done, making future installs easier, cheaper, and cleaner.
- ✓ **Easy, Time-Saving Installation**  
Designed for installers: Green 14/2 Romex plug-and-play setup. Convenient connection point in the front passthrough of Travel Trailer marked by a block off panel.

*Powerful, reliable cooling performance  
Engineered to deliver comfort, quality and long-lasting durability.*

### INDUSTRY LEADING HEAT PUMP PERFORMANCE



#### HEAT PUMP + FURNACE

**Extends Propane Usage Between 19-38% at 35° F Outdoor Temp\***

In heat pump mode the RV's AC is working in reverse. Heat from the outside is utilized to supplement the furnace.

*\*Based on a propane furnace ranging from 20-40,000 BTU with 75% efficiency.*



#### AUTO CHANGEOVER HEAT PUMP

When the outdoor temperature drops below 25° F the heat mode automatically engages auxiliary heating sources, e.g., an RV furnace (if the RV is so equipped) to provide optimal comfort.



#### HEAT PUMP OPERATION AS LOW AS 25° F

This feature ensures that any ice buildup on the heat exchanger is cleared by periodically cycling to Auto Defrost. With the reverse cycle defrost algorithm, the heat pump can continue to provide supplement heating with outdoor temperatures as low as 25° F.



#### MULTIPLE HEATING MODES

3 heating modes available: heat pump only, heat pump + furnace, and furnace only. Flexible heating mode gives RVs more options to configure the ideal comfort setting and provide the ability to set a preferred automatic setting.



#### HIGH-EFFICIENCY RVAC

Using large heat exchangers along with high efficient compressors, allow RV owners to install up to 3 AC units on one 50-amp equipped RV. In addition, owners can install more electronic equipment without overloading the electrical circuits.

*Models include cool only , heat pump & high-efficiency cool only*



- ✓ **Heat-Pump Heating Mode** to as low as 25 °F for cold-morning comfort and fewer propane furnace starts.
- ✓ **High-Efficiency design** + 13,500 BTU capacity keeps RV interiors cool fast while freeing up power for other electronics.
- ✓ **Durable, RV-specific build** — sealed fan motor, corrosion-resistant coatings, vibration control mounting for longer life on the road.
- ✓ **Automatic “change-over”** plus self-diagnostics means the unit shifts intelligently between heat & AC while alerting to low voltage or faults.

# CATALINA

## SUMMIT - 8

# Starlink Internet

## Prep

\*All Catalina's are wired and **PREPPED** for **Starlink**. Router and Starlink accessories sold separately.\*

### Features:

- ✓ **Seamless Plug-and-Play Integration** Winegard's optimized hardware lets Starlink drop straight into RV, off-grid, and mobile setups with minimal wiring and zero hassle.
- ✓ **Best-in-Class Mobility Performance** Designed for motion and portability—delivering high-speed, low-latency internet whether you're parked, traveling, or off the beaten path.
- ✓ **Rugged, All-Weather Durability** Engineered to withstand heat, cold, rain, dust, vibration, and the harshest travel environments—built for real RV and commercial use.
- ✓ **Optimized Power + Mounting Options** Winegard offers purpose-built mounts, brackets, and power solutions tailored for roofs, poles, racks, and mobile platforms.
- ✓ **Unified Ecosystem & Support** A complete connectivity solution backed by Winegard's U.S.-based tech support, system design expertise, and easy upgrade path.



[Back To Table of Contents. Click Here](#)

“Stand out day or night with Catalina’s signature LED glow.”



“See The Difference”


[Click Here or below.](#)



- ✓ **Creates instant curb appeal** – the glowing radius gives your camper a signature look that stands out on the lot and at the campground.
- ✓ **Improves nighttime visibility** – makes hitching, navigating, and campsite setup easier when the sun goes down.
- ✓ **Shows off the front cap design** – the lighting highlights the contour of the camper, making the exterior graphics and styling pop.
- ✓ **Adds that “premium feel” without premium cost** – customers instantly associate LED perimeter lighting with higher-end units, giving you an edge in sales conversations.

[Back To Table of Contents. Click Here](#)

# CATALINA SUMMIT-8



## Multi-Colored LED Lighted Power Awning

### Key Features:


- ✓ **No Hassle Power Awning** – *push button on the OneControl board, or open with your OneControl app!*
- ✓ **Heavy Duty Vinyl Fabric** – *Anti-mildew, Anti-scuff, and cold-crack tested.*
- ✓ **Adjustable Pitch** – *Pitch control on each arm allows for better sun blocking coverage. It also helps avoid pooling water!*
- ✓ **8' Extension** – *Solera Awnings extend out 8 ft. for plenty of camp site shade coverage.*
- ✓ **Multi-Color LED Light Strip w/Remote** – *Provides 15 different colors + white. Also includes features such as strobe, flash, fade, or smooth transition between colors. Stand out from the crowd with a unique color!*

Select OEMs may offer RGB (color) LEDs.

These lights use a separate IR (Infrared) remote and sensor. The top of the remote must be pointed at the infrared sensor on the LED receiver module.

The remote control provides:

- Simple push button on/off
- Adjustable dimming
- 15 color choices + white
- Special effects (flash, strobe, fade and smooth)



[Back To Table of Contents. Click Here](#)

# CATALINA

## SUMMIT-8

# JBL Premium Sound System



## The Benefits:

- ✓ 2 Zones of Audio Control with dual zone control.
  - Have the TV/Radio playing through interior speakers (zone A) with a Bluetooth device playing on the outside speakers (zone B).
- ✓ Bluetooth Connectivity.
- ✓ FM Tuner with 10 Presets.
- ✓ HDMI ARC Cable Installed to Connect to TV (Yellow HDMI Plug).
- ✓ Parametric Lighting with 3 Different Light Modes.
- ✓ Interior JBL Speakers Specifically Paired for Optimal Sound.
- ✓ Exterior Speakers Specifically Paired for Optimal Sound.

## Differentiation Benefit: Name Brand Sound System

- ✓ Catalina uses the JBP Premium Sound System. Very few other brands in our segment even know what sound equipment they are using!




[Back To Table of Contents. Click Here](#)

# CATALINA SUMMIT-8



GE APPLIANCES  
a Haier company



## GE® 9.8 Cu. Ft. 12 Volt DC Power Top-Freezer Refrigerator

### Features Include:

- ✓ **Semi-Automatic Defrost** – designed to save energy and improve battery performance.
- ✓ **Deep Freezer w/ a Shelf** – Accommodates larger items; even a bag of ice.
- ✓ **Adjustable Glass Fridge Shelves** – Two adjustable shelves to organize food storages.
- ✓ **Door Bins/Storage** – Frees up shelf space in the fridge & freezer.
- ✓ **Clear Crisper Drawer** – Helps preserve fresh fruits and vegetables.
- ✓ **LED Lighting** – Energy efficient and bright.
- ✓ **Compressor Cooling System** – No external ventilation required.
- ✓ **12V DC Power** – Specifically engineered for the RV and boat industries.

### Differentiation Benefit: Wall Switch for the Refrigerator

- ✓ Catalina wires our 12V refrigerators to a switch located next to the refrigerator giving the owner the ability to turn off the refrigerator completely

\*\*The 12V refer is a **standard build item**. Catalina offers a 7 cu. Ft. gas/electric RV refer as an **option**.

[Back To Table of Contents. Click Here](#)

# CATALINA SUMMIT-8



GE APPLIANCES  
a Haier company

## GE® 17" RV Gas Range, Vented Range Hood, and Microwave

### Range & Oven Features Include:

- ✓ **Edge-to-Edge Grates** – Easily move cookware on this seamless surface cooktop with continuous black matte grates.
- ✓ **Easy-Clean Enamel Oven** – The smooth enamel surface makes it difficult for grease and other dirt to stick to it.
- ✓ **Spark Ignition System** – Easily light each burner by turning on the burner a creating a spark with the spark ignition knob
- ✓ **Cast Metal, White Backlit, Range Knobs** – Heavy cast metal knobs offer durability with a high-end look. White backlit range knobs can be conveniently turned on and off.
- ✓ **Nickle Oven Rack w/Multiple Positions** – 2 flexible oven rack positions to accommodate a variety of cookware.

### Range Hood & Microwave Features Include:

- ✓ **Watts & Power Levels** – This is a 900W microwave is on the high end of the wattage spectrum for its size. It also comes with 10 power levels!
- ✓ **Convenience Cooking Controls** – 7 convenient easy cook modes like popcorn and reheat buttons.
- ✓ **Instant On Controls** – Instantly set the timer between 1-6 minutes with the press of the instant on control button.
- ✓ **Filtered and Ducted Range Hood** – Fumes and odors are vented outside of your RV. The aluminum mesh filter can be easily washed under water!

[Back To Table of Contents. Click Here](#)

\*All Catalina's are wired and **PREPPED** for solar standard. The panel and charge controller is an optional add from the factory.\*



## 30A PWM Solar Charge Controller

### Features:

- ✓ Advanced PWM technology with high-efficiency MOSFET switching
- ✓ Common-positive grounding design with low power consumption
- ✓ Multiple battery type settings with clear condition indicators
- ✓ Smart multi-stage charging system with charging time management
- ✓ LED indicators plus digital display for charging parameters and battery settings
- ✓ Automatic activation of Lithium batteries protected by BMS
- ✓ Built-in thermal protection and 30A PWM solar charge capability
- ✓ Comprehensive safety protections: over-voltage, short-circuit, reverse-polarity, and no-spark design
- ✓ Ultra-thin, compact construction with corrosion-resistant terminals and conformal-coated internal board
- ✓ External Battery Temperature Sensor (BTS) port included (sensor optional)
- ✓ Compatible with Flooded (WET), AGM, GEL, Calcium, and Lithium battery types
- ✓ Designed to meet CE standards and compliant with EMC and FCC regulations



**BRAVO**<sup>TM</sup> Series  
Controllers

1-800-831-9889 

www.richsolar.com 

support@richsolar.com 

1900 Mountain Ave, Norco, CA 92860 

[Back To Table of Contents. Click Here](#)

\*All Catalina's are wired and **PREPPED** for solar standard. The panel and charge controller is an optional add from the factory.\*

### Features:

- ✓ **Maximum Energy Output**  
N-Type TOPCon cell technology and AR-coated tempered glass deliver superior light capture, higher efficiency, and strong performance even in low-light conditions.
- ✓ **Reliable Power in All Weather**  
Low temperature coefficient and consistent output ensure dependable energy production during cloudy days, mornings/evenings, and harsh environmental conditions.
- ✓ **Fast & Flexible Installation**  
Lightweight aluminum frame, plug-and-play connectors, and pre-drilled mounting options make setup easy for RVs cabins, boats, and off-grid systems.
- ✓ **Built for Extreme Durability**  
Advanced cell construction minimizes micro-cracks, while PID resistance and robust environmental protection withstand salt, ammonia, sand, humidity, and heavy loads
- ✓ **Long-Term Value & Warranty Protection**  
Backed by 25-year product and performance warranties, guaranteeing long-term savings and sustained power output with minimal degradation.

### MEGA 200 / MEGA 200 ONYX

#### 200W 12V SOLAR PANEL

**25.3%**


Maximum Cell Efficiency

**200W**

Maximum Power Output

**0~+5W**

Positive Power Tolerance



#### Maximum Efficiency

N-Type TOPCon multi-busbar cell technology improves light trapping, reduces series resistance, and enhances current collection.

High-transmission, AR-coated tempered glass maximizes sunlight capture while ensuring long-term durability.

Superior low-light performance and a low temperature coefficient maintain strong output in varied weather conditions.

#### Easy Installation

Plug-and-play solar connectors support both series and parallel configurations.

Lightweight, corrosion-resistant anodized aluminum frame allows for easy handling and extended lifespan.

Pre-drilled holes support flexible mounting options such as ground mounts, Z-brackets, poles, and tilt systems.

Ideal for high-end off-grid systems and mobile setups including RVs, cabins, and boats.

Designed for compatibility with existing mainstream optimizers, inverters, and mounting systems.



MEGA 200 ONYX (MODEL: RS-M200B)

#### Proven Reliability

Delivers consistent energy production even on cloudy days or during mornings and evenings.

Innovative non-destructive cutting technology minimizes micro-cracks for enhanced durability.

PID resistance is ensured through advanced cell processing and premium module material control.

Built to withstand harsh environments including salt, ammonia, sand, high temperatures, and high humidity.

Mechanical strength certified up to 5400 Pa positive load and 2400 Pa negative load.

#### Exceptional Value

Delivers higher performance, greater savings, and long-term satisfaction. Protected by a 25-year limited product warranty.

Backed by a 25-year performance warranty guaranteeing minimal power degradation over time.



### ADVANTAGES

Travel and outdoor enthusiasts need RVs that can withstand the elements. Our deck panels are precision-engineered specifically for RVs to provide a stronger core, moisture resistance, and more stability for the long haul.

Our sanded 2 sides engineered panels afford the thickness tolerance requirement of components in the most precise applications. Our panels are manufactured with additional resins and wood to deliver extra strength and rigidity where needed. Our product line is manufactured in multiple locations across North America to help reduce customers' transport costs.

All products are CARB (California Air Resource Board) - exempt and free of any urea-formaldehyde resins.



#### BENEFITS

	ESP	PLYWOOD	OSB
Used in Cargo and RV trailers for years	✓	✓	✓
100% MDI Resin for water resistance	✓	✗	✗
Superior anti-swell properties	✓	✗	✗
Sanded two sides so panel remains flat	✓	✗	✗
Formulated for enhanced strength & density	✓	✗	✗
Superior screw-holding	✓	✗	✗
Uniform thickness	✓	✗	✗
One Year Limited Warranty	✓	✗	✗

ESP PLYWOOD OSB

#### THICKNESS

5/8" Sanded 2-Sided

#### LENGTHS

4'x8" 4'x102"

#### WARRANTY

Limited Warranty

#### TESTING DATA & COMPARISON

	Density (pcf)	Internal Bond (psi)	Parallel Bending Stiffness (EI parallel)	Perpendicular Bending Stiffness (EI Perpendicular)	Parallel Bending Strength (MPa para)	Perpendicular Bending Strength (MPa perp)	Thickness Swell (%)	Water Absorption (%)	#10 Screw Pull Through	#12 Screw Pull Through	#14 Screw Pull Through
ESP Engineered Structural Panel	40	118	374,978	195,819	5,166	4,425	4.9	13.9	665	852	1011
Standard OSB	38	263,961	88,326	1,735	1,735	16.1	49.3				
OSP Plywood Testing, (Published Data)	36	127	330,000	57,000	2450	850	8.8	45	415	470	525

Manufacturer Test results above represent a random sampling of product produced for Trailer applications - test results will vary from run to run and should not be considered minimum standards. OSB/Plywood numbers are from the APA and other published reports used for engineering values.



### Features:

- ✓ 100% MDI Resin for water resistance and anti-swelling properties.
- ✓ Sanded 2 sides, free of patches, putty, and other imperfections such as knotholes or core voids.
- ✓ Engineered to lie flat: resistant to twisting, cupping, cracking, warping, and delamination.
- ✓ Engineered with extra strength and rigidity.
- ✓ Superior fastener holding; staples and screws will not work out over time.

## NXG FRAME



Fully Integrated into our  
NXG Hucked Frame

### Key Benefits:

- ✓ Manufactured with HSLA – **High Strength Low Alloy Prime Steel** with specifically controlled properties.
- ✓ **CNC controlled rail fabrication eliminated inconsistency** of frame components, including spring axle hanger placement.
- ✓ Mechanically and CNC applied to achieve the desired **positive camber, specific to each floorplan**
- ✓ Component parts are **painted separately, then assembled**.
- ✓ **Manual welding is minimized**. Common components are **robotically welded for consistent quality**.
- ✓ All fastened components are joined with Huck® fasteners. **Huck® fasteners provide consistent clamp load**

### Eliminates:

- ✓ Frame failures due to sub-standard steel.
- ✓ Inconsistent placement of frame component parts.
- ✓ Uneven main rails – varying camber and squareness.
- ✓ Corrosion caused by incomplete paint coverage.

## The Catalina Cabinet Process



### **Lumber Core Stiles:**

Our construction requires us to use real lumber core stiles, so the screws have something to grip into securely.



### **Pocket Holes:**

Using a jig, we drill precise pocket holes for the screws we use in our construction. This ensures quality and strength every time.



### **Framing Table:**

No guess work! This ensure the right angles and strongest fit for all of our cabinets.

## **See The Difference!**



### **X Particle Board**

- Not a strong material core material for construction
- Does not stand up to temperature changes and humidity

### **X Stapled**

- Does not offer the same security and hold as screws
- Inconsistent from stile to stile and cabinet to cabinet

### **X Construction**

- Stapled cabinets are often built without the use of a framing table. This creates inconsistencies, gapping and unlevelled cabinets.

[Check Out Our Video!](#)  
[Click Here](#)




[Back To Table of Contents. Click Here](#)

# CATALINA

## SUMMIT - 8

# Seamless Thermofoil Counter Tops



Correct material is selected and loaded, then parts are cut by our CNC routers, automatically switching between tools for desired finished appearance.



After parts are cleaned of debris, they are moved to the glue department. Surfaces that require vinyl are sprayed evenly and thoroughly.



The parts are now sent into the press, where heat and pressure will form and adhere the vinyl to the substrate.



Parts are now hand trimmed to remove excess vinyl, placed with the order, and sent to packaging.

[Check Out How They're Made!](#)  
[Click Here](#)



If necessary, the products are sent to buildup. Here buildup (drop edge) is applied. CNC routed buildup is glued then pin-nailed in place.

[Check Out Our Video!](#)  
[Click Here](#)



## The production process and key quality indicators:

- ✓ CNC routed to specific engineered specs
- ✓ Complete glue coverage preventing separation or gaps
- ✓ Totally seamless coverage of the substrate; no gaps & separation
- ✓ Heat and pressure adherence process for a smooth high-quality finish
- ✓ Hand trimmed to prevent damage and ensure quality coverage

## **At Catalina we use our Thermofoil Counter Tops in:**

- ✓ The Kitchen/Galley
- ✓ Dinettes
- ✓ Camp Kitchens
- ✓ Bathrooms

**AVOID THIS!**



[Back To Table of Contents. Click Here](#)

# CATALINA

## SUMMIT-8

### 35,000 BTU Furnace



Dare to Compare!

Very few direct competitors use a 35,000 BTU furnace!



An AIRXCEL Brand

## Suburban Furnace

### 35,000 BTU

- ✓ Gasket-Sealed Vent Assemblies
- ✓ Energy-Saving Solid State Electronic Ignition
- ✓ Steel Gas Manifolds
- ✓ Sealed Forced-Draft Combustion
- ✓ Stainless Steel Vent Caps
- ✓ Capable Of Heating Sizeable Living Areas Quickly And Efficiently



#### ADVANTAGES:

- ✓ Longer Camping Season
- ✓ More Comfort in Lower Temperatures
- ✓ Less Run Time to Maintain Temperature; Saves Propane

[Back To Table of Contents. Click Here](#)

# CATALINA

## SUMMIT-8



## NXG FRAME Slide

### Out

#### Description

BAL has set the new standard in slide-out technology with the award winning 'NXG SLIDE' rack drive slide-out. The NXG SLIDE system provides an unmatched level of durability and precision that was not available in older generations of slide-out mechanisms. Due to the systems rigidity and tightness, a user should experience years of trouble-free performance. All components of the NXG SLIDE mechanism are individually coated with highly effective corrosion-resistant e-coat or plating for extended life of the slide-out drive. Required maintenance is limited to periodic cleaning and lubrication of the main drive arms of the system. U.S. patent pending.

#### Key Features:

- ✓ **Arched Design** – Strong, tighter, and more durable design that helps hold the room against the trailers side wall.
- ✓ **Rack and Pinion Drive System** – Simple and reliable system with a single motor and easy manual override.
- ✓ **More Space!** – Rack and pinion slide systems offer more head room and more depth than other slide systems on the market today.
- ✓ **Slide Room Supported by Frame** – The through frame design means the slide room itself is engineered into the frame for that specific floor plan. This adds support to the slide room and helps take the load off the sidewalls.

[Back To Table of Contents. Click Here](#)


# Enclosed & Sealed Underbelly

\*Option Only Available on 221MKE, 231MKS, 261BHS, 271DBS, 281QBUNK



### Features:

- ✓ Protects holding tanks, plumbing, and electrical components from the elements and debris when traveling.
- ✓ We use expanding foam sealant to completely seal the underbelly. This creates a “dead air” space for added insulation properties.
- ✓ Traps radiating air from our in-floor heat ducts.
- ✓ Improves tow ability by reducing drag and buffering.



[Check Out Our Video!](#)

[Click Here](#)



[Back To Table of Contents. Click Here](#)

# CATALINA

## SUMMIT-8

# MORryde StepAbove

## Entry Steps

### Features:

- ✓ Bounce-free, wobble-free stability
- ✓ Lightweight; Easy to stow and unstow
- ✓ Quick release leg adjustment; NO PINS!
- ✓ Wide top step for safety
- ✓ Gradual step slope for full foot placement
- ✓ 500lb. Weight Capacity



### Entry Steps Vendor Video

Click to play video



[Back To Table of Contents. Click Here](#)

# CATALINA

## SUMMIT-8

# Upgraded Dinette

## Features



### Features:

- ✓ Camco blocks added in place of the wood stiles for table support when in bed mode.
- ✓ U-shape dinette back bench storage opened for easy access. Includes storage totes!
- ✓ Velcro strip dinette cushions to keep cushions in place every time.
- ✓ Thermofoil dinette tabletop is seamless. Making in longer lasting and moisture proof, unlike t-mold or self edge tabletops that contract over time leaving gaps.
- ✓ Easy access storage doors under the bench seats!



# CATALINA

## SUMMIT-8

# Upgraded Bedroom

## Features



### Features:

- ✓ NEW Rear wardrobe shelf/cubby adds convenient, easy access, storage at the head of the bed.
- ✓ Full length nightstands opens the area next to the bed and provides more space.
- ✓ 12V USB/USB C and 110 Outlets on both sides of the bed to meet the modern worlds power needs.
- ✓ Our under-bed storage is finished off separating the exterior pass-through storage from the interior bed storage.

[Back To Table of Contents. Click Here](#)

## Black Tank Flush Standard



### ADVANTAGES:

- ✓ **Quicker** black tank cleaning process.
- ✓ **Easier** method with no additional equipment needed.
- ✓ **Cleaner** than dumping water buckets or pulling a hose through your camper.

### 3 easy steps!

1. Connect the hose to your black tank flush port
2. Open your black tank evacuation valve
3. Turn on the water.

[Check Out Our Video!](#)  
[Click Here](#)



*Traditional black tank cleaning methods require **more equipment, take longer and are messy.***



You're going to need a long hose!



You have to drag it through your camper to the bathroom.



Fight the hose and cleaning attachment down the toilet.



Hoping the tank is getting cleaned properly as you twist and turn the hose.



What a mess! Now what?



Getting the dirty hose back out of your trailer. Yikes!

[Back To Table of Contents. Click Here](#)

# CATALINA

## SUMMIT-8

# Furrion Rear Camera

## Prep

### FURRION



#### Features:

- ✓ **Ready-to-Go Safety Upgrade** – With factory Furrion prep installed, customers can add a rear-view camera in minutes without complex wiring, drilling, or modification.
- ✓ **Cleaner, More Reliable Install** – The pre-wired mount provides the correct power feed and bracket, ensuring a secure, weather-tight connection that avoids aftermarket “hack” installs.
- ✓ **Improved Towing Confidence** – Even if customers don’t add the camera immediately, knowing the RV is prepped increases confidence and peace of mind for future towing or backing situations.
- ✓ **Waterproof camera** - with night vision



[Back To Table of Contents. Click Here](#)

# Lippert On-The-Go

## Ladder Prep

### MADE FOR PREPPED UNITS

Made specifically for RVs built with the Lippert ladder receiver



### Features:

- ✓ Portable, telescoping ladder for RVs
- ✓ 12' 6" or 14'6" telescopic extension
- ✓ Weighs less than 30 lbs.
- ✓ Retracts to 33.5" or 35.75" for easy storage and transport
- ✓ Sturdy 330 lb. weight capacity
- ✓ Angled extension reaches 22" above your RV for added stability
- ✓ User-friendly, fast extension and retraction
- ✓ Segmented locks on each step for increased retraction control
- ✓ Only compatible with RVs equipped with the Lippert ladder receiver

### FEATURES & BENEFITS



### RELIABLE LOCK MECHANISM

Built with high-strength, 5/8" diameter steel locking pins



# CATALINA

## SUMMIT - 8

### 12V Vent Fan



#### THE BENEFITS:

- ✓ Bathroom Ventilation.
- ✓ Natural Skylight.
- ✓ Air Circulation.
- ✓ Prepped for aftermarket upgrades.

### USB/USB-C/12V Outlets



#### THE BENEFITS:

- ✓ Powered by 12V, unlike the 110V plugs, so it offers charging capabilities from the battery.
- ✓ One on each side of the main bedroom. Also placed in the kitchen and bunk rooms.

# Interior Added

## Convenience Features

### ABS Tub Surround & Easy Step Shower

(N/A on Some Floorplans)



#### THE BENEFITS:

- ✓ ABS tub surround to protect wall board from water damage without needing to dry off.
- ✓ Built-in shelves.
- ✓ Easy step; low lip/shallow profile shower.

**N/A On "X" Models**

### Shower/Coat Hooks



#### THE BENEFITS:

- ✓ Mostly found in our bathrooms as towel hooks.
- ✓ Adds a small convenience for customers and free's up storage space.

[Back To Table of Contents. Click Here](#)

# CATALINA SUMMIT - 8

## Exterior Added Convenience Features

### G20 Tinted Windows



#### THE BENEFITS:

- ✓ Only 20% of UV light gets through.
- ✓ Keeps the unit cooler.
- ✓ Protects furniture from sun fade.
- ✓ Adds some privacy during the day.

### 360 Siphon Roof Vent Cap



#### THE BENEFITS:

- ✓ Air passing through creates a vacuum.
- ✓ Gases are drawn out.
- ✓ Eliminates Odor.
- ✓ Built-In Screen Keeps Bugs Out.

### LP Quick Connect



#### THE BENEFITS:

- ✓ Runs off of the Standard LP Bottles.
- ✓ Convenience for Grilling or Cooking with LP.
- ✓ Quick Connect Hose Attachment.

### Battery Disconnect Switch



#### THE BENEFITS:

- ✓ Completely Disconnects the Battery from All Systems.
- ✓ Saves Battery Life.
- ✓ Conveniently Accessible on the A-Frame.

[Back To Table of Contents. Click Here](#)